

# Specifications

## Power Pedestal, Standard Direct Bury

**CULus Listed: Standard 1773. Rated NEMA 3R. ADA compliant heights available.**


### 1-, 2-Gang Standard, Direct Bury, 60 Amp Max

Several Styles with Pre-drilled Holes for Devices and Covers

Grounding Hardware Included (not shown)

Removable Access Panel

Side Wire Entry Slots



Free standing power pedestal that is an aesthetically pleasing solution for both low and high amperage applications. Offering several heights, configurations and finishes to blend into any landscape.

Amperage	60 Amp max. rating
Material	304 Stainless Steel: 14-gauge body, cover and access panel; optional upgrade to 316
Construction	Welded body with removeable wire access panel and wire entry slots
Finishes	Outdoor rated powder coat paint (standard and custom), brushed stainless
Heights	42", 48", 54" (24" must be buried below grade)
Dimensions	5" wide by 2-1/2" deep
Devices	Not supplied; can accommodate 15 – 60 Amp weather-resistant devices
Covers	Mounting holes for weatherproof covers provided; covers not supplied
Hardware	Pre-installed stainless steel grounding hardware included
Application	May be ordered with a divider for high and low voltage (data)
Customization	Option for custom colors
Installation	Open bottom, removeable wire access panel and wire entry slots

### Pedestal Features

- Mounting holes to align with standard receptacles and weatherproof covers
- Removeable access panel for easy installation
- Sides slots for wire entry
- Completely welded stainless construction

#### Finishes:

Black (B)

Gray (G)

Bronze (BRZ)

Green (GN)





Brown (BR)

Custom (CSTM)

Brushed Finish (SS)



### Part Numbers

Device Opening	Finish	42" Height	48" Height	54" Height
<b>1-Gang Horiz. (HZ)</b> 	Black	142-C-HZ-B	148-C-HZ-B	154-C-HZ-B
	Gray	142-C-HZ-G	148-C-HZ-G	154-C-HZ-G
	Bronze	142-C-HZ-BRZ	148-C-HZ-BRZ	154-C-HZ-BRZ
	Green	142-C-HZ-GN	148-C-HZ-GN	154-C-HZ-GN
	Brown	142-C-HZ-BR	148-C-HZ-BR	154-C-HZ-BR
	Custom	142-C-HZ-CSTM	148-C-HZ-CSTM	154-C-HZ-CSTM
	Brushed S.S.	142-SS-HZ	148-SS-HZ	154-SS-HZ
<b>1-Gang Vert. (V)</b> 	Black	142-C-V-B	148-C-V-B	154-C-V-BR
	Gray	142-C-V-GN	148-C-V-G	154-C-V-G
	Bronze	142-C-V-BRZ	148-C-V-BRZ	154-C-V-BRZ
	Green	142-C-V-GN	148-C-V-GN	154-C-V-GN
	Brown	142-C-V-BR	148-C-V-BR	154-C-V-BR
	Custom	142-C-V-CSTM	148-C-V-CSTM	154-C-V-CSTM
	Brushed S.S.	142-SS-V	148-SS-V	154-SS-V
<b>2-Gang</b> 	Black	242-C-B	248-C-B	254-C-B
	Gray	242-C-G	248-C-G	254-C-G
	Bronze	242-C-BRZ	248-C-BRZ	254-C-BRZ
	Green	242-C-GN	248-C-GN	254-C-GN
	Brown	242-C-BR	248-C-BR	254-C-BR
	Custom	242-C-CSTM	248-C-CSTM	254-C-CSTM
	Brushed S.S.	242-SS	248-SS	254-SS
<b>2-Gang Div. (high/low volt)</b> 	Black	242-C-D-B	248-C-D-B	254-C-D-B
	Gray	242-C-D-G	248-C-D-G	254-C-D-G
	Bronze	242-C-D-BRZ	248-C-D-BRZ	254-C-D-BRZ
	Green	242-C-D-GN	248-C-D-GN	254-C-D-GN
	Brown	242-C-D-BR	248-C-D-BR	254-C-D-BR
	Custom	242-C-D-CSTM	248-C-D-CSTM	254-C-D-CSTM
	Brushed S.S.	242-SS-D	248-SS-D	254-SS-D